

Royal BC Museum Handbook

MUSHROOMS *OF BRITISH COLUMBIA*

ANDY MACKINNON AND KEM LUTHER

REVISED AND EXPANDED INDEX
JULY 6, 2021



VICTORIA, CANADA

© Royal BC Museum 2021

Index

Note: Page numbers in **bold** indicate a photograph or illustration.

- acute conic waxy cap, 78, 79, **79**, 80
admirable bolete, 321, 322, **322**
agaricales, 43
agaricus: diminutive, 238, **238**; felt-ringed, 230, 231, **231**, 237; flat-top, 230, 231, 236, 237, **237**; meadow, 229, 232, 236, **236**; red-staining, 116, 234, **234**; woodland, 231, 232, 233, **233**
Agaricus, 28, 97, 189, 228, 229, 232, 238, 421; *abruptibulbus*, 233, **233**; *albolutescens*, 233; *arvensis* group, 232, **232**, 233, 236; *augustus*, 230, **230**, 231; *bisporus*, 229, 236; *buckmacadoui*, 237; *campestris*, 229, 232, 236, **236**; *crocodilinus*, 232; *deardorffensis* group, 230, 231, 236, 237, **237**; *diminutivus* group, 238, **238**; *fissuratus*, 232; *hondensis*, 230, 231, **231**, 237; *kerriganii*, 238; *micromegethus*, 238; *moelleri*, 237; *moronii*, 233; *praeclaresquamosus*, 237; *semotus*, 238; *sylvaticus* group, 116, 234, **234**; *sylvicola* group, 231, 232, 233, **233**
Agaricus of North America (Kerrigan), 229
agarikon, 395, 396, **396**, 401, 402, 471
Agrocybe, 271; *pediculus* group, 279; *praecox* group, 244, 271, 279, **279**
Alaskan gold, 244, 262, 271, 280, **280**
Albatrellopsis flettii, 380
Albatrellus, 378; *avellaneus*, 380; *ellisii*, 380; *ovinus*, 380, **380**, 381, 382
alder: green, 476; red, 94, 457, 476; speckled, 476
alder tongue, 476, **476**
Aleuria, 449; *aurantia* 453, 456, **456**
All That the Rain Promises (Arora), 27
Allen, Eric, 395
Alloclavaria, 349, 351; *purpurea*, 351, **351**, 353
Allotropia virgata, 55, **55**, 147
Alnicola escharioides group, 284
Alnus: incana, 476; *viridis*, 476
alpine jelly cone, 414, **414**, 462
Alpova: concolor, 468; *diplophloeus*, 468, **468**
amanita: jonquil, 106, 108, 109, **109**, 110, 111, 120, 302; purple-brown, 120, **120**; Smith's, 117, **117**, 118, 123, 146, 163, 256; sunshine, 106, 109, 110, **110**, 111; western woodland, 118, **118**; western yellow-veil, 111, **111**
Amanita, 13, 19, 24, 44, 105, 121, 123, 145, 221, 356, 358, 421; *aprica*, 106, 109, 110, **110**, 111; *aspera*, 111; *augusta*, 111, **111**; *bisporigera*, 113; *constricta*, 119, **119**, 120; *franchetii*, 111; *gemma* group, 106, 108, 109, **109**, 110, 111, 120, 302; *muscaria*, **106**, 106–7, **107**, 108, 109, 110, 324; *ocreata*, 113; *novinupta*, 116, **116**, 234; *pachycolea* group, 119; *pantherina* group, 106, 108, **108**, 109, 111, 120; *pantherinoides*, 108; *phalloides*, 105, **112**, 112–15, **113**, **114**, **115**, 123, 148, 233, 256, **257**; *porphyria*, 120, **120**; *princeps*, 112; *rubescens*, 116; *silvicola*, 118, **118**; *smithiana*, 117, **117**, 118, 123, 146, 163, 256; *vaginata* group, 119; *verna*, 113; *virosa*, 105, 113
Amanitas of North America (Bunyard & Justice), 105
ambiguous stropharia, 302, **302**, 303
American parasol, 122
amethyst laccaria, 126, **126**, 127, 177
Ammirati, Joe, 27, 28
Ampulloclitocybe, 77, 125; *avellaneialba*, 137; *clavipes*, 133, 137, **137**
angel wings, 191, 208–9, 211, **211**, 214, 256
anise clitocybe, 132, **132**, 221
Aphroditeola olida, 136, **136**
Apioperdon, 421, 422; *pyriforme*, 422, **422**, 423
Apiosporina morbosa, 476, **476**
apricot jelly, 419, **419**
arbutus, 94, 285, 294, 300, 332, 474, 475
Ariolimax columbianus, 223
Armillaria, 145, 154, 164–65, 300; *altimontana*, 165; *cepistipes*, 165; *gallica*, 165; *nabsnona*, 165, 270; *ostoyae*, **164**, 164–65, **165**, 170, 266, 270, 278, 394; *sinapina*, 164–65, **165**
armillaria root disease, 165, 394
Arora, David, 27
Arrhenia, 77; *chlorocyanea*, 142, **142**; *epichysium*, 139, 142, **142**
Arrhenius, Johan Peter, 142
artist's conk, 393, **393**, 395, 471
asci, 5, 6
Ascocoryne, 77; *cylichnium*, 418; *sarcooides*, 418, **418**
ascomycetes, 6, 138, 349, 360–61, 376, 458, 463
ashen trich, 156, 157, 158, **158**, 159
aspen scaberstalk, 332, 333, **333**, 334
Aspropaxillus giganteus, 133
Asterophora parasitica, 59
Atheniella, 173; *adonis*, 174, **174**, 175; *aurantiidisca*, 175, **175**
Aureoboletus, 317; *mirabilis*, 321, 322, **322**
Auricularia, 411, 417; *americana* group, 411, 416, 417, **417**; *auricula*, 417; *auricula-judae*, 417
Auriscalpium, 335, 347; *vulgare*, 335, 347, **347**
Baeospora myosura, 204
basidia, 5, 5, 6
basidiomycetes, 6, 349, 463
bay polypore, 383
BC Poison Control Centre, 256
bear lentinellus, 218, **218**
bear's head, 338, **338**, 339

- Beebe, Frank L., 257
 bellybutton hedgehog, 336, 337, **337**, 442
Berberis, 475, **475**
 Berch, Shannon, 115
 Bessette, Alan and Arleen, 343
 big brown cat, 146, 163, **163**
 big laughing gym, 262
 bigleaf maple, 94
 birch conk, 379, 399, **399**, 400, **400**
 birch scaberstalk, 332, 334, **334**
 bird's nest: flowerpot, 431, 432, **432**, 433; fluted, 434, **435**; white barrel, 431, 432, 433, **433**; white-egg, 432, 433, 434, **434**
The Bird's Nest Fungi (Brodie), 431
Bisporella, 449; *citrina*, 414, 418, 462, **462**
 biting russula, 46, 49, **49**
 bitter bolete, 317, 318, 323, **323**
 bitter brown polypore, 381, **381**, 391
 bitter brown webcap, 245, **245**
 black cottonwood: and alder tongue, 476; and bear lentinellus, 218; and chaga, 405; and fly agaric, 106, 107; and hyp pop, 215; and mycorrhizae, 75; and oyster mushroom, 209; and poplar pholiota, 267; and poplar trich, 152, 471; and red-brown trich 151; smell, 53
 black earth tongue, 367, **367**
 black knot, 476, **476**
 blackberry: cut-leaf, 474; Himalayan, 474
 blackening lyophyllum, 170, 171, **171**
 blackening russula, 58, **58**, 59, 116, 256
 blackleg, 383, **383**
 bleach bonnet, 179, 180, **180**, 181, 182
 bleeding milk cap, 62, 63, **63**
 bleeding mycena, 173, 176, **176**
 blewit, 125, 130, **130**, 189, 221, 240, 249, 277, 420
 blood-red webcap, **246**, 246–47
 blue chanterelle, 41, 42, **42**
 blue cheese polypore, 385, **385**
 blue-edge pinkgill, 226, **226**
 bluefoot bonnet, 177, 182, **182**
 bluefoot webcap, 189, 249, **249**
 blue-green flamecap, 264, 265, **265**, 300
 blue-green stropharia, 304, **304**
 blusher, 116, **116**, 234
 blushing waxy cap, 91, **91**
Bolbitius, 281; *titubans*, 104, 281, 282, **282**;
vitellinus, 282
 bolete: admirable, 321, 322, **322**; bitter, 317, 318, 323, **323**; gilled, 167, 271, 274, **274**; grey false, 382, **382**; king, 107, 223, 317, **318**, 318–19, **319**, 343, **343**, 442; peppery, 317, 320, 324, **324**, 325; red-cracked, 320, **320**, 321, 324, 377; red-pored, 325, **325**; Zeller's, 320, 321, **321**, 322
Boletopsis, 378, 382; *grisea* group, 382, **382**;
leucomelaena, 382; *subsquamosa*, 382
Boletus, 317; *chryserteron*, 320; *coniferarum*, 323; *edulis*, 107, 223, 317, **318**, 318–19, **319**, 343, **343**, 442; *fibrillosus*, 318; *mirabilis*, 318; *rex-veris*, 24, 318; *smithii*, 318
 Bondartsev, Apollinaris Semenovich, 391
Bondarzewia, 339, 378, 391; *mesenterica*, 391;
occidentalis, 381, 391, **391**
 bonnet: bleach, 179, 180, **180**, 181, 182; bluefoot, 177, 182, **182**; brown, 181, **181**, 182, 283; lilac, 126, 173, 177, **177**, 182, 255; orange-yellow, 175, **175**; scarlet, 174, **174**, 175; yellowleg, 140, 173, 178, **178**. *See also* mycena
Bonomyces sinopicus, 137, 458
 boot-lace fungus, 164, **164**, 165
The Botanic Garden (Darwin), 420
Bovista, 421, 424, 426; *pila*, 391; *plumbea*, 426, **426**
 bowl earthstar, 428, **428**
 branched collybia, 56, 195, 201, **201**
 bristly pholiota, 261, 266, **266**, 267, 268
 Brodie, Harold J., 431
 brown almond waxy cap, 88, **88**, 199
 brown bonnet, 181, **181**, 182, 283
 brown crumbly rot, 395
 brown cubical rot, 395
 brown cup, 450, **450**, 452, 460
 brown dunce cap, 281, 283, **283**
 brown trunk rot, 395
 bunapi-shimeji, 215
 buna-shimeji, 215
 Bunyard, Britt, 105
 Burlingham, Gertrude, 49
 burn site mycena, 458
 burnt-ground pholiota, 458
 buttery collybia, 186, 192, 197, 198, **198**, 221
 button mushroom, 229, 236
Byssomerulius, 379; *corium*, 376, 409, 410, **410**
 Cajander, Aimo Kaarlo, 397
Calbovista, 421, 424; *subsculpta*, 424, **424**, 425
 California oaks, 115
Callistosporium luteo-olivaceum, 166, 203, **203**, 263
Caloboletus, 317, 323; *conifericola*, 317, 318, 323, **323**
Calocera, 354, 411, 415; *cornea*, 354, 415, **415**; *viscosa*, 415, **415**
Caloscypha, 449; *fulgens*, 453, **453**, 456
Calvatia, 421, 424, 425, 429; *booniana*, 424, 425, **425**; *fumosa*, 429; *gigantea*, 425; *sculpta*, 424
Camarophyllum, 92
 candlesnuff, 359
Candolleomyces candolleanus, 314
 candy cap, 64
 candystick, 55, **55**, 147
Cantharellula umbonata, 143, **143**, 189
Cantharellus, 33, 40; *albidus*, 37; *cascadensis*, 34, 35; *cibarius*, 35, 36, 37; *formosus*, **34**, 34–35, 35, 36, 37, 40, 129, 298; *roseocanus*, 34, 36, **36**;
subalbidus, 37, 37
 caps, **13**, 13–14, **14**
 carbon anthers, 359, **359**
 cascade chanterelle, 34, 35
Catathelasma, 146, 163; *imperiale* group, 146, 163, **163**; *ventricosum*, 146, 163
 cat's tongue, 416

Cázares, Efrén, 375
 cedar waxy cap, 85
 celery-scented trich, 160, **160**, 161, 169
 Ceska, Adolf, 94–95, 285
 Ceska, Oluna, 13, 27, 94–95, 258, 285
 chaga, 401, 405, **405**, 471
Chalciporus, 317; *piperatoides*, 324; *piperatus*, 317, 320, 324, **324**, 325
 chanterelle: blue, 41, 42, **42**; cascade, 34, 35; false, 35, 129, **129**, 136; Pacific golden, **34**, 34–35, **35**, 36, 37, 40, 129, 298; rainbow, 34, 36, **36**; white, 37, 37; winter, 38, **38**, 141, 337; woolly, **32**, 34, 40, **40**, 41
 chicken of the woods, 403
Chimaphila, 55
 chip cherry, 299, 316, **316**
Chlorociboria, 449, 461; *aeruginascens*, 461, **461**; *aeruginosa*, 461
Chlorophyllum: *brunneum*, 97, 98, **98**, 99, 116, 123; *molybdites*, 98; *olivieri*, 98, 99, **99**; *rhacodes*, 98
Chloroscypha flavida, 462
Chondrostereum purpureum, 387
 Christmas naucoria, 285, **285**
 Christmas tubaria, 285, **285**
Chromosera, 77; *cyanophylla*, 140, **140**, 178
Chroogomphus, 43, 295, 298; *ochraceus*, 298; *rutilus*, 298; *tomentosus*, 34–35, 298, **298**; *vicolor*, 298
Chrysomphalina, 77, 125, 141; *aurantiaca*, 140, 141, **141**, 183; *chrysophylla*, 38, 129, 141, **141**, 166
 cinnabar polypore, 389, **389**
 citizen science, 25–26
Clavaria, 349, 350, 351, 354; *fragilis* group, 350, 350; *rosea*, 351; *vermicularis*, 350
Clavariadelphus, 349, 351, 352, 353; *ligula*, 351, 353, **353**; *mucronatus*, 353; *sachalinensis*, 353; *subfastigiatus*, 351; *truncatus*, 352, **352**
Clavulina, 369, 371; *cinerea*, 371; *coralloides* group, 354, 371, **371**; *cristata*, 371; *rugosa*, 371
Clavulinopsis, 349, 354; *laeticolor*, 353, 354, **354**, 415
 climate: change, 294; hot and dry, 427
 ditocybe: anise, 132, **132**, 221; cloudy, 133, **133**, 168; crowded white, 134, **134**, 135, 170; snowmelt, 131, **131**; sweat-producing, 85, 134, 135, **135**, 186, 189, 223
Clitocybe, 44, 125, 134, 256; *albirhiza*, 131, **131**; *comata*, 134; *dealbata*, 135; *deceptiva*, 132, **132**, 221; *dilatata*, 134, **134**, 135, 170; *elegantula*, 132; *fragrans*, 132; *gigantea*, 133; *glacialis*, 131; *nebularis*, 133, **133**, 168; *nuda*, 130; *odora*, 132; *rivulosa*, 85, 134, 135, **135**, 186, 189, 223; *sinopica*, 137
Clitocybula, 125; *atrialba*, 137
Clitopilus, 221; *cystidiatus*, 223; *prunulus* group, 221, 223, **223**
 cloudy clitocybe, 133, **133**, 168
 club: flat-topped candy, 352, **352**; golden fairy, 353, 354, **354**; 415; purple fairy, 351, **351**, 353; strap, 351, 353, **353**; water, 363, 364, **364**
 club-foot, 133, 137, **137**
 clustered collybia, 192, 200, **200**

Coccomyces dentatus, 475, **475**
 coconut milk cap, **66**, **66**
 collecting. See foraging
 collybia: branched, 56, 195, 201, **201**; buttery, 186, 192, 197, 198, **198**, 221; clustered, 192, 200, **200**; fragrant, 88, 199, **199**; oak-loving, 192, 197, **197**, 198; tuberous, 185, 195, **195**, 201; tufted, 192, **192**, 193, 197, 198, 200
Collybia, 185, 195; *acervata*, 200; *cirrhatta*, 195; *cookei*, 195; *tuberosa*, 185, 195, **195**, 201
Coltricia, 378, 384; *cinnamomea*, 384; *perennis*, 346, 384, **384**
 comb russula, 53, **53**
 common cudonia, 366, **366**
 common deer truffle, 360, 362, 465, **465**
Common Mushrooms of the Northwest (Sept), 27
 common stinkhorn, **356**, 356–57
Common Tree Diseases of British Columbia (Allen, Morrison & Wallis), 395
 compressed elfin saddle, 366, 445, 446, **446**
 conifer maze conk, 388, 404, **404**
 conifer mazegill, 388, **388**
 conifer roundhead, 302, 303, **303**, 305
 conifer sulphur shelf, 379, 395, 403, **403**
 conifer tuft, **95**, 299, 300, 301, **301**
 conifer-cone tooth, 335, 347, **347**
Coniferiporia sulphurascens, 394–95
 conk: artist's, 393, **393**, 395, 471; birch, 379, 399, **399**, 400, **400**; conifer maze, 388, 404, **404**; dyer's, 343, 344, 390, **390**, **394**, 395; quinine, 396, **396**; red-belted, 376, 392, 393, 395, 396, 398, **398**, 402, 471; rosy, 397, **397**; tinder, 396, 400, 402, **402**, 471; western varnished, 379, 392, **392**, 393, 401
Connopus acervatus, 192, 200, **200**
Conocybe, 281, 283, 309, 311; *tenera* group, 281, 283, **283**
 constricted grisette, 119, **119**, 120
Coprinellus, 277, 289; *micaceus*, 292, 293, **293**
Coprinopsis, 277, 289; *atramentaria* group, 137, 256, 289, 290, 292, **292**, 293; *lagopus* group, 289, 291, **291**
Coprinus, 97, 288, 289; *comatus*, 290, **290**, 292, 427
 coral: crested, 354, 371, **371**; orange-red, 375, **375**; pink-tipped, 370, 372, **372**; upright, 373, **373**; yellow mountain, 374, **374**
Cordyceps, 349, 360–61, 362; *capitata*, 362; *militaris*, 277, 289, 361
 Corner, E.J.H., 35
 corn-silk fibrehead, 258, **258**
 corpse mushrooms, **276**, 276–77
Cortinarius, 95, 126, 130, 161, 228, 239, 242, 243, 244, 246, 250, 256; *albviolaceus*, 240, **240**, 241, 255; *armillatus*, 243, **243**; *boulderensis*, 243; *californicus* group, 246; *camphoratus*, 240, 241; *caperatus*, 239, 244, **244**, 279, 280; *causticus*, 245; *ceskae*, 95; *cinnamomeus*, 246–47; *clandestinus* group, 166, 251, **251**, 265; *collinitus* group, 252; *croceus*, 247; *gentilis*

- Cortinarius* (continued)
 group, 248, **248**; *glaucoopus* group, 189, 249, **249**;
griseoviolaceus, 240; *idahoensis*, 247; *kroegeri*,
 248; *laniger*, 250, **250**; *Leproclybe* subgenus, 251;
luteo-ornatus, 243; *muscigenus*, 252; *mutabilis*,
 240, 249; *Myxaciium* subgenus, 239, 245, 252;
neosanguineus, **246**, 246–47; *occidentalis* group,
 240, 249; *olympianus*, 249; *ominosus*, 246, **247**;
paragauidis, 243; *parkeri*, 251; *phoeniceus* var.
occidentalis, 246; *sanguineus*, **246**, 247; *seidliae*,
 252, **252**; *semisanguineus*, 246; *smithii*, 246, **247**;
solis-occasus, 250; *Telamonia* subgenus, 239,
 243, 250; *traganus*, 240, 241, **241**; *vanduzerensis*
 group, 252; *vibratilis* group, 245, **245**; *violaceus*,
 239, 242, **242**
- Coryne sarcoides*, 418
 cowboy's handkerchief, 84, **84**, 85, 86, 121
- Craterellus*, 33; *calicornucopioides*, 42; *tubaeformis*
 group, 38, **38**, 141, 337
- cremini mushrooms, 229
- crep: flat, 209, 211, 214, **214**, 218, 220; jelly, 214,
214; snowy, 214
- Crepidotus*, 214; *applanatus*, 209, 211, 214, **214**, 218,
 220; *epibryus*, 214; *mollis*, 214, **214**
- crested coral, 354, 371, **371**
- Cronartium*: *harknessii*, 474; *ribicola*, 473, **473**
 crowded white clitocybe, 134, **134**, 135, 170
- crown fungus, 451, **451**
- Crucibulum*, 431, 434; *crucibuliforme*, 432, 433,
 434, **434**; *laeve*, 434
- crusts: lobster, 33, 39, **39**, 45, 46, 52, 69, 343, 377,
 442; netted, 376, 409, 410, **410**
- Cryptoporus*, 378, 406; *volvatus*, 406, **406**
- Cudonia*, 253, 349, 366; *circinans*, 366, **366**
- Cudoniella clavus*, 364, 366
- cup: brown, 450, **450**, 452, 460; eyelash, 457, **457**;
 green, 461, **461**; hairy fairy, 459, **459**; orange-
 dusted, 454, **454**, 455; thick, 41, 452, **452**; yellow
 fairy, 414, 418, 462, **462**
- Cuphophyllus*, 85; *pratensis* group, 81, 91;
russocoriaceus, 85
- cut-leaf blackberry, 474
- cyanobacteria, 138
- Cyathus*, 431; *olla*, 434; *striatus*, 434, **435**
- Cystoderma*, 96, 97, 280; *amianthinum*, 100, **100**,
 101; *aureum*, 280; *carcharias*, 101; *fallax*, **96**,
 100, 101, **101**
- Cystodermella*: *cinnabarina*, 100; *granulosa*, 100
- Cystolepiota seminuda* group, 194
- Cytidia salicina*, 457
- Dacrymyces*, 411, 412, 413, 462; *chrysospermus*, 412,
412, 413, 414; *palmatius*, 412; *stillatus*, 412, 462
- Dahlen, Jan, 442
- dark funnel, 139, 142, **142**
- dark melanoleuca, 172, **172**
- dark pogie, 469, **469**
- Darwin, Charles, 357, 420
- Darwin, Erasmus, 420
- de Candolle, Augustin Pyramus, 314
- de Schweinitz, Lewis David, 390
- dead man's foot, 343, 421, 430, **430**
- deadly parasol, 97, 102, 103, **103**, 256
- death cap, 105, **112**, 112–15, **113**, **114**, **115**, 123, 148,
 233, 256, **257**
- deaths, from poisonous mushrooms, 22, 113, 114,
 148, 211, 243, 256, 273, 325
- the deceiver, 128
- Deconica*, 299; *coprophila*, 313; *horizontalis*, 306;
inquilina, 306; *montana*, 306, **306**, **307**
- deer mushroom, 221, 222, **222**
- The Deerholme Mushroom Book: From Foraging
 to Feasting* (Jones), 25
- delicious milk cap, 61, 62, **62**, 63
- Dendrocollybia racemosa*, 56, 195, 201, **201**
- Dentinum repandum*, 336
- desert climate (near), and mushrooms, 427
- desert shaggy mane, 427, **427**
- destroying angel: all species, 113; *Amanita
 virosa*, 105
- diminutive agaricus, 238, **238**
- Discina perlata*, 452
- disclaimer, edibility, 20
- discomycetes, 449
- dog stinkhorn, 358, **358**
- doggy dick, 358
- Dominion Astrophysical Observatory, 94, **94**
- Donadimia nigrella*, 454
- donkey ears, 460, **460**
- Douglas-fir: and blusher, 116; and boletes, 317; and
 chanterelles, 37, 38; and climate change, 294;
 and conifer-cone tooth, 347; and Douglas-fir
 cone mushroom, 204; and fall western white
 truffle, 464; and fat jack, 326; and lemon truffle,
 470; and matte jack, 327; mycorrhizae, 75, 469;
 on Observatory Hill, 94; and orange-yellow
 bonnet, 175; and Pacific golden chanterelle, 35;
 and phoenix russula, 51; and *Rhizopogon* genus,
 469; *Suillus* species associated with, 330; and
 sunshine amanita, 110; and tamarack jack, 328;
 and truffles, 466, 468; and western cauliflower
 mushroom, 370; and woolly jack, 329
- Douglas-fir cone mushroom, 204, **204**
- Doyle, Arthur Conan, 60
- dripping slimecap, 84, 121, **121**
- Dryas*, 161
- dung dome, 313, **313**, 315
- dwarf willows, 161
- dyer's conk, 343, 344, 390, **390**, **394**, 395
- dyes, from mushrooms: about, 27, **342**, 342–43;
 blue chanterelle, 42; dyer's conk, 390; gilled
 bolete, 274; hawk's wing, 340; *Hydnellum*
 species, 335; lichens, 138; red paint fungus,
 407; violet webcap, 242
- ear pick fungus, 347
- earth fan, 33, 379, 384, 408, **408**
- earth tongue: black, 367, **367**; velvety, **348**, 367

earthy powdercap, 100, **100**, 101
Echinoderma asperum, 103, **103**
Echinodontium, 378, 407; *tinctorium*, 407, **407**, 471
 edibility. *See* mushrooms, as food
 E-Flora BC, 28
 Ehlers, Tyson, 27
Elaphocordyceps, 362; *capitata*, 362
Elaphomyces, 362, 463, 465; *granulatus* group, 360, 362, 465, **465**
An Elementary Text-book of British Fungi (Hay), 22
 elfin saddle: compressed, 366, 445, 446, **446**;
 fluted black, 377, 447, **447**
Endocronartium harknessii, 474
Endogone pisiformis, 476, **476**
 enoki, 202
 entoloma: midnight, 157, 224, **224**; rosy, 225, **225**
Entoloma, 221, 222, 224, 225; *bloxamii*, 224;
 holoconiotum, 227; *madidum*, 224; *medianox*
 group, 157, 224, **224**; *rhodopolium* group 225,
 225; *serrulatum*, 225, 226
 Eukaryota (domain), 3
 eukaryotes, 3, 205
 Evans, Frank, 463
 Exeter, Ronald, 278, 375
Exobasidium vaccinii, 474, **474**
 eyelash cup, 457, **457**

 fairy fan, 363, 365, **365**
 fairy fingers, 350, **350**
 fairy ring mushroom, 135, 185, 186, **186**, 198
 fairy rings, 100, **188**, 188–89, **189**, 420
 fairy stool, 384
 fall western white truffle, 464, **464**, 466, 468
 false azalea, 474
 false chanterelle, 35, 129, **129**, 136
 false morel, 366, 441, 444, **444**, 445
 false turkey tail, 377, 386, 387, **387**
 fan: earth, 33, 379, 384, 408, **408**; fairy, 363, 365,
 365; stinking earth, 408
 fat jack, 326, **326**, 327, 329
 felt-ringed agaricus, 230, 231, **231**, 237
 fibrehead: corn-silk, 258, **258**; green-foot, 259,
 259; western lilac, 177, 240, 254, 255, **255**; white,
 254, **254**, 255
Field Guide to North American Truffles (Trappe,
 Evans & Trappe), 463
 Finston, Terrie, 115
 fir flamecap, 203, 263, **263**
 fir-blueberry rust, 472, **472**
 First Nations, 152, 407, 420, 426, 471
 flamecap: blue-green, 264, 265, **265**, 300; fir, 203,
 263, **263**
Flammula malicola group, 301
Flammulina velutipes, 25, 190, 202, **202**
 flat crep, 209, 211, 214, **214**, 218, 220
 flat-top agaricus, 230, 231, 236, 237, **237**
 flat-topped candy club, 352, **352**
 flowerpot bird's nest, 431, 432, **432**, 433
 flowerpot parasol, 104, **104**, 282

 fluted bird's nest, 434, **435**
 fluted black elfin saddle, 377, 447, **447**
 fly agaric, **106**, 106–7, **107**, 108, 109, 324
Fomes fomentarius, 396, 400, 402, **402**, 471
Fomitopsis, 378, 397, 403; *betulina*, 379, 399, **399**,
 400, **400**; *cajanderi*, 397; *mounceae*, 376, 392,
 393, 395, 396, 398, **398**, 402, 471; *ochracea*, 398,
 402; *officinalis*, 396; *pinicola*, 398
 foraging, 22–25, 26, 33, 61, 147
 fragrant collybia, 88, 199, **199**
 Freeman, Dan, 442
 fried chicken mushroom, 164, 170, **170**, 171, 189
 Fries, Elias M., 92, 97
 frozen waterfall, 338
 fruity lilac webcap, 240, 241, **241**
Fuligo septica, 377
 funeral bell, 202, 256, 270, 281, 284, 286, **286**,
 287, 306, 311
The Fungal Pharmacy (Rogers), 401
 fungi: decomposer, 6–7, 25, 104, 125, 141, 166,
 173, 180, 185, 229, 232, 261, 271, 394–95, 411,
 431, 436, 449; definition, 3; diversity, 3–4;
 evolution, 3, 11, 33, 43, 207, 349; fungal mantles,
 74, **75**; fungophobia, 22; and lichen, 138; and
 mycoheterotrophs, 54–55; phoenicoid, 458, **458**;
 structure, 4; taxonomy, 11. *See also* mushrooms
Fuscopostia fragilis, 385
 fuzztop, 151, 153, **153**, 169
 fuzzyfoot, 141, 144, **144**

Galerina, 202, 281, 286, **287**, 309, 311; *autumnalis*,
 286; *marginata*, 202, 256, 270, 281, 284, 286,
 286, **287**, 311
Ganoderma, 378, 393; *applanatum*, 393, **393**, 395,
 471; *lucidum*, 392, 401; *oregonense*, 379, 392,
 392, 393, 401; *tsugae*, 392
 garden giant, 305
 Garry oak, 52, 94, 112, 115, 116, 210
Gastropila fumosa, 429
Gaultheria shallon, 475
Geastrum, 421; *fimbriatum*, 428; *quadrifidum*,
 428; *saccatum*, 428, **428**; *triplex*, 428
 gemmed puffball, 406, 422, 423, **423**, 426
Generall Historie of Plantes (Gerard), 357
Geoglossum, 349; *umbratile*, 367, **367**
Geopyxis carbonaria, 458, **458**
 Gerard, John, 357
Gerronema atrialbum, 137, **137**
 ghost pipe, 52, 54, 54–55, 74
 Gibson, Ian, 28
 gilled bolete, 167, 271, 274, **274**
 gills, 14–15, **15**
 Ginns, James, 379
 Glanvill, John, 412
Gliophorus, 77, 87; *laetus* group, 80, 87, 90, **90**;
 psittacinus, 87, **87**, 90
Gloeophyllum, 378; *sepiarium*, 388, **388**
 glossary, 478–81. *See also* terminology,
 mycological

- Glutinoglossum glutinosum*, 367
 gnome plant, 344
 the goblet, 142, 143
 goldband webcap, 248, **248**
 golden fairy club, 353, 354, **354**, 415
 golden pholiota, **260**, 268, **268**
 golden-fringed waxy cap, 84, 86, **86**
 goldgill navelcap, 38, 129, 141, **141**, 166
 gomphidius: hideous, 89, 93, 296, 297, **297**; rosy, 296, **296**, 297, 327
Gomphidius, 77, 288, 295; *glutinosus*, 89, 93, 296, 297, **297**; *oregonensis*, 297, 326; *smithii*, 296; *subroseus*, 296, **296**, 297, 327
Gomphus, 33, 40, 369; *clavatus*, 41, **41**, 42, 352, 452
 Goward, Trevor, 138
 grand fir, 94
 granny's nightcap, 239, 244, **244**, 279, 280
 grass green russula, 57, 57
 green alder, 476
 green cups, 461, **461**
 green lobster mushrooms, 377
 green-foot fibrehead, 259, **259**
 grey false bolete, 382, **382**
 grey fire morel, **294**, 440, **440**, 458
 greyling, 72, 143, **143**, 189
Grifola frondosa, 391
 Guépin, Jean Pierre, 419
Guepinia, 411; *helvelloides*, 419, **419**
Guepiniopsis alpina, 414
 "Guide to Mushroom Groups," 2, 9, 30–31
 gym: big laughing, 262; jumbo, 262, **262**, 280; yellow-gilled, 167, 264, **264**
Gymnopilus, 228, 261, 263, 354; *aeruginosus*, 264, 265; *bellulus*, 263; *junonius*, 262; *luteofolius*, 167, 264, **264**; *penetrans*, 263; *picreus*, 263; *punctifolius*, 264, 265, **265**, 300; *sapineus* group, 203, 263, **263**; *ventricosus* group, 262, **262**, 280; *voitkii*, 262
Gymnopus, 185; *acervatus*, 200; *androsaceus*, 196, **196**; *confluens*, 192; *dryophilus*, 192, 197, **197**, 198; *fuscopurpureus*, 200; *perforans*, 196; *peronatus*, 193
Gymnosporangium nelsonii, 473, **473**
 gypsy mushroom, 244
Gyromitra, 436, 437, 447, 449; *ancilis*, 41, 452, **452**; *esculenta*, 366, 441, 444, **444**, 445; *infula*, 444, 445, **445**, 446
 hairy fairy cup, 459, **459**
 hardwood witch's butter, 412, 413, **413**
 Hardy, George A., 257
 Harvard University, 220
 hawk's wing, 217, 335, 340, **340**
 Hay, William Delisle, 22
 haymaker's mushroom, 283, 312, **312**
Healing Mushrooms (Isokauppila), 401
Hebeloma, 95, 161, 254, 271, 277; *crustuliniforme* group, 189, 275, **275**, 277; *mesophaeum* group, 275; *sacchariolenis* group, 275; *velutipes*, 275
 hedgehog, 38, 336, **336**, 337, 442; bellybutton, 336, 337, **337**, 442
Helminthosphaeria clavariarum, 371
Helvella, 366, 419, 436, 447; *compressa*, 366, 445, 446, **446**; *corbieri*, 446; *crispa*, 447; *elastica*, 445, 446, **446**; *lacunosa*, 447; *maculata*, 447; *vespertina*, 377, 447, **447**
Hemimycena, 184, 191; *delectabilis*, 184
Hemipholiota populnea, 267
Hemitomes congestum, 344
 hen of the woods, 391
 herald of winter, 89
Herball (Gerard), 357
Hericium, 335, 339; *abietis*, 338, **338**, 339; *coralloides*, 338; *erinaceus*, 338, 339, **339**, 401, **401**
Heterotextus, 411; *alpinus*, 414, **414**, 462; *luteus*, 414, 462
 Heufler zu Rasen und Perdonegg, Ludwig Samuel Joseph David Alexander, 219
 hexagonal spot, 475, **475**
 hideous gomphidius, 89, 93, 296, 297, **297**
 Himalayan blackberry, 474
Hodophilus paupertinus, 139
Hohenbuehelia, 209, 219; *petalooides*, 210, 219, **219**; *serotina*, 212
 honey mushroom, **164**, 164–65, 170, 266, 270, 278, 394
 horn of plenty, 42
 Hornemann, Jens Wilken, 303
 horse mushroom, 232, **232**, 233, 236
 horsehair mushroom, 196, **196**
Humaria, 449, 459, 460; *hemisphaerica*, 459, **459**
 Hunt, Gary, 420
 Hussey, Anna Maria, 57
Hydnangium carneum, 467
Hydnellum, 55, 335, 345; *aurantiacum*, 344, **344**; *fuscoindicum*, 345, **345**; *peckii*, 341, **341**, 343, 344, 384; *scabrosum*, 340, 345; *scrobiculatum* group, 341, 384; *suaveolens*, 345
Hydnum, 335, 336, 337; *repandum*, 336; *umbilicatum* group, 336, 337, **337**; *washingtonianum*, 336, **336**, 337, 442
Hygrocybe, 77; *acutoconica*, 78, 79, **79**, 80; *chlorophana*, 80; *coccinea*, 83, **83**; *conica*, 78; *flavescens*, 79, 80, **80**; *miniata*, **76**, **82**, **82**, 83; *pratensis*, 91; *psittacina*, 87; *pumicea*, 81, 82, 83, **83**; *russocoriacea*, 85; *singeri* group, 78, **78**, 79
Hygrophoropsis, 43, 77; *aurantiaca* group, 35, 129, **129**, 136
Hygrophorus, 44, 77, 129; *agathosmus*, 88, 92; *bakerensis*, 88, **88**, 199; *boyeri*, 89, **89**, 93; *calophyllus*, 92; *camarophyllus*, 92, **92**; *chrysodon*, 84, 86, **86**; *conica*, 78; *eburneus*, 84, **84**, 85, 86, 121; *erubescens*, 91, **91**; *hypothejus*, 89; *marzuolus*, 92; *olivaceoalbus*, 89, 93, **93**; *piceae*, 84, 85, **85**, 86, 121; *pudorinus*, 91, **91**; *saxatilis*, 91; *speciosus*, 81, **81**, 83; *subalpinus*, 52
Hymenochaetopsis tabacina, 387
 hyp pop, **206**, 210, 215, **215**

- Hypoholoma*, 299; *aurantiacum*, 316; *capnoides*, 95, 299, 300, 301, **301**; *dispersum*, 301, 310; *elongatum*, 301; *fasciculare*, 265, **288**, 299, 300, **300**, 301; *tuberosum*, 316
- Hypocrea pulvinata*, 377
- Hymomyces*, 376, 377; *aurantius*, 377; *cervinigenus*, 377, 447, **447**; *chrysospermus* group, 320, 377; *lactifluorum*, 33, 39, **39**, 45, 46, 52, 69, 343, 377, 442; *luteovirens*, 377; *rosellus*, 377; *torminosus*, 377
- Hypsizygos tessulatus*, **206**, 210, 215, **215**
- Iceman Ötzi, 57, 399, 400
- Illustrations of British Mycology* (Hussey), 57
- iNaturalist.org, 26
- Infundibulicybe*, 125
- inky cap, 137, 256, 289, 290, 292, **292**, 293; woolly, 289, 291, **291**
- Inocybe*, 95, 161, 228, 253, 256, 259; *albodisca*, 258; *calamistrata*, 259; *cescae*, 95, 258; *fastigiata*, 258; *geophylla* group, 254, **254**, 255; *grammata*, 258; *griseoilacina*, 255; *hirsuta*, 259; *lacera*, 259; *lilacina*, 255; *mixtilis*, 258; *pallidicremea*, 177, 240, 254, 255, **255**; *pudica*, 254; *sororia*, 258; *whitei*, 254
- Inonotus*, 378; *obliquus*, 401, 405, **405**, 471
- Inosperma*: *calamistratum*, 259, **259**; *maximum*, 259; *mucidolens*, 259
- Ischnoderma*: *benzoinum*, 381; *resinosum*, 381
- Isokauppila, Tero, 401
- jack: fat, 326, **326**, 327, 329; matte, 326, 327, **327**, 328, 329; slippery, 331, **331**; tamarack, 327, 328, **328**; woolly, 327, 329, **329**
- Jahnporus*, 378; *hirtus*, 381, **381**, 391
- jelly crep, 214, **214**
- jelly rot, 376, 409, **409**, 410
- jelly tooth, 416
- Jones, Bill, 25
- jonquil amanita, 106, 108, 109, **109**, 110, 111, 120, 302
- jumbo gym, 262, **262**, 280
- Justice, Jay, 105
- Kauffman, Calvin Henry, 71, 216, 278
- Kauffman's milk cap, 71, 71, 72
- Kauffman's rootshank, 71, 161, 271, 278, **278**
- Kendrick, Bryce, 27
- Kerrigan, Richard, 229
- king bolete, 107, 223, 317, **318**, 318–19, **319**, 343, 343, 442
- Kroeger, Paul, 114, 115, 154, 248, 309
- Kuehneromyces*: *lignicola*, 270, 270; *mutabilis*, 165, 202, 270, **270**, 286, 301, 306
- Kühner, Robert, 85
- Kuo, Michael, 354, 358, 419, 476
- laccaria: amethyst, 126, **126**, 127, 177; lacklustre, 127, 128, **128**; two-coloured, 126, 127, **127**, 128
- Laccaria*, 77, 126, 277; *amethysteo-occidentalis*, 126, **126**, 127, 177; *bicolor*, 126, 127, **127**, 128; *laccata* group, 127, 128, **128**
- Lachnellula agassizii*, 462
- lacklustre laccaria, 127, 128, **128**
- Lactarius*, 15, 39, 43, 44, 45, 61; *controversus*, 68; *deliciosus* group, 61, 62, **62**, 63; *fallax* group, 70, **70**; *glycosmus*, 66, **66**; *hepaticus*, 65; *kauffmanii*, 71, 71, 72; *luculentus*, 64, **64**; *montanus*, 66, 67, **67**; *mucidus*, 72; *neicator*, 73; *occidentalis*, 65; *olivaceo-umbrinus*, 73, 73; *olympianus*, 62; *pallescens*, 67; *payettensis*, 68; *plumbeus*, 73; *pseudomucidus*, 70, 71, 72, **72**, 143; *repraesentaneus*, 68; *rubidus*, 64; *rubrilacteus*, 62, 63, **63**; *rufus*, 64, 65, **65**; *scrobiculatus*, 68, **68**, 69; *subflammeus*, 64; *substriatus*, 64; *subviscidus*, 64; *torminosus*, 39, 66, 68, 69, **69**; *turpis*, 73; *uvidus*, 67
- laddered landscape morel, 438, **438**
- Laetiporus*, 378, 403; *conifericola*, 379, 395, 403, **403**; *gilbertsonii*, 403; *sulphureus*, 403
- laminated root rot, 395
- larch, 81, 328, 331
- larch waxy cap, 81, **81**, 83
- large white leucopax, 133, 146, 168, **168**
- Lariciformes*, 378; *officinalis*, 395, 396, **396**, 401, 402, 471
- Larix*, 81, 328, 331; *laricina*, 328; *lyallii*, 328; *occidentalis*, 328
- latex, 15
- lead-coloured puffball, 426, **426**
- Leccinum*, 172, 277, 317, 333, 334; *aurantiacum* group, 332, **332**, 333, 334; *insigne*, 332, 333, **333**, 334; *manzanitae*, 332; *scabrum*, 332, 334, **334**; *vulpinum*, 332
- Lee, Jae Rhim, 277
- lemon earthball, 429, **429**, 451, 465
- lemon truffle, 470, **470**
- Lentaria pinicola*, 371, 373
- Lentinellus*, 43, 347; *labelliformis*, 218; *micheneri*, 218; *ursinus* group, 218, **218**
- Lentinus*, 216, 218
- Lenzites betulina*, 388
- leopard trich, 146, 155, 156, 157, 158, 159, **159**, 168
- Lepiota*, 44, 97, 289, 421, 427; *aspera* group, 103, **103**; *castanea*, 100, 103; *clypeolaria*, 102; *cristata*, 102; *flammeotincta*, 103, 122; *josserandii*, 103; *magnispora*, 102, **102**; *rubrotinctoides*, 122; *subincarnata*, 97, 102, 103, **103**, 256
- Lepista*, 130; *flaccida*, 198; *inversa*, 198; *irina*, 133; *nuda*, 125, 130, **130**, 189, 221, 240, 249, 277, 420; *praemagna*, 420; *tarda*, 130
- Leproclybe* subgenus, 251
- Leptonia*, 221, 226, 242; *serrulata*, 226, **226**
- Leptoporus mollis*, 397
- Leratiomyces ceres*, 299, 316, **316**
- Leucangium*, 463, 466; *carthusianum*, 464, **467**
- Leucoagaricus*, 97; *americanus*, 122; *leucothites*, 113, 123, **123**, 236; *rubrotinctus* group, 122, **122**

- Leucocoprinus*, 97; *birnbaumii*, 104, **104**, 282
Leucocybe connata, 134
Leucopaxillus, 145, 168; *albissimus* group, 133, 146, 168, **168**; *amarus*, 169; *gentianeus*, 153, 160, 169, **169**; *giganteus*, 133
 liberty cap, 308, 309, 310, **310**, 311
 lichen, 9, 60, 138, 139, 147, 342, 427
 lichen agaric, 9, 138, 139, **139**, 142, 183
Lichenomphalia, 77; *umbellifera*, 9, 138, 139, **139**, 142, 183
 life cycles, 4–6, 24
 lilac bonnet, 126, 173, 177, **177**, 182, 255
 lilac-gilled umbrella, 140, **140**, 178
Limacella, 121; *delicata*, 121; *gliderma*, 121; *illinita*, 121
Limacium, 92
 limber pine, 473
 Linnaeus, 436
 lion's mane, 338, 339, **339**, 401, **401**
 little brown mushrooms (LBMS), 228, 253, 271, 281, **287**, 309, 362
 lobster crust / lobster mushroom, 33, 39, **39**, 45, 46, 52, 69, 343, 377, 442
 lodgepole pine, 294, 330, 331, 474
Lycoperdon, 59, 421, 422, 423; *nigrescens*, 423; *perlatum*, 406, 422, 423, **423**, 426; *pyriforme*, 422
Lycophyllum, 145, 171; *decastes* group, 164, 170, **170**, 171, 189; *semitale*, 170, 171, **171**
- Macrocystidia cucumis*, 187, 190, **190**, 221
Macrotyphula juncea, 353
 magic mushrooms, 26–27, 262, 264, 288, 299, 308–9, 442
 maitake, 391
 man on horseback, 113, 145, 148, **148**, 149, 150, 166
Marasmiellus candidus, 191, **191**; *confluens*, 192, **192**, 193, 197, 198, 200; *peronatus*, 192, 193, **193**
Marasmius, 44, 185, 186; *androsaceus*, 196; *oreades*, 135, 185, 186, **186**, 198; *plicatulus*, 187, **187**, 190; *salalis*, 194
 Marrone, Teresa, 28
 matsutake, 147
 matte jack, 326, 327, **327**, 328, 329
 McBride, Doug, 327
 McIlvaine, Charles, 105
 McKenny, Margaret, 28
 meadow agaricus, 229, 232, 236, **236**
 medicinal uses. *See* mushrooms, as medicine
Megacollybia fallax, 172
Melanoleuca, 145, 172; *cognata*, 172; *melaleuca* group, 172, **172**; *verrucipes*, 172
Menziesia ferruginea, 474
 mica cap, 292, 293, **293**
 midnight entoloma, 157, 224, **224**
 milk cap: bleeding, 62, 63, **63**; coconut, 66, **66**; delicious, 61, 62, **62**, 63; Kauffman's, 71, **71**, 72; orange, 64, **64**; pitted, 68, **68**, 69; purple-staining, 66, 67, **67**; red hot, 64, 65, **65**; slimy, 70, 71, 72, 72, 143; toadskin, 73, **73**; velvety, 70, 70; woolly, 39, 66, 68, 69, **69**
- Miller, Danny, 28
Mitrla, 349, 363; *elegans*, 363, **363**, 364, 365
 mixotrophs, 55
Monotropa uniflora, 52, **54**, 54–55, 74
Morchella, 436; *americana*, 439, **439**; *anthracophila*, 440; *brunnea*, 439; *carbonaria*, 440; *elata*, 438; *esculenta*, 439; *eximia*, 440; *importuna*, 438, **438**; *snyderi*, 439, **439**; *tomentosa*, **294**, 440, **440**, 458
 morel: false, 366, 441, 444, **444**, 445; grey fire, **294**, 440, **440**, 458; laddered landscape, 438, **438**; saddle-shaped false, 444, 445, **445**, 446; Snyder's, 439, **439**
 Morrison, Duncan, 395
 Morse, Elizabeth, 37
 Moser, Meinhard, 140
 Mounce, Irene, 398
 Mount Elphinstone Provincial Park, 161
 mountain caribou, 138
 mountain moss mushroom, 299, 306, **306**, **307**
 mountain pine beetles, 294, 474
 mountain avens, 161
 mouse trich, 156, **156**, 158, 159
Mucronella, 30, 349, 355; *calva*, 355; *fusiformis*, 355; *pendula*, 355, **355**; *pulchra*, 355, **355**
 Murrill, William Alphonso, 47, 147
 mushroomobserver.org, 26
 mushrooms: carnivorous, 127, 208, 220; commercial, 35, 147, 202, 229, 442–43; cultivation, 25, 437; defined, 4; diversity, 10, 45, 95; dry habitats, 427; ecological roles, 6–9, 207; enjoying, 25; as fruiting bodies, 4; life cycles, 4–6, 24; magic, 26–27, 262, 264, 288, 299, 308–9, 442; medicinal uses, 27, 33, 42, 215, 352, 359, 361, 386, 393, 399, 400–401, 405, 442, 444; mushroom clubs, 25, 26, 28, 114; names, 3, 4, 10, 11–12, 147; odour, 16; poisons, 39, 253, 256, 286, 437, 444, 465; as psychedelics, 26–27, 308–9; rare, 161; taste, 16; thunder and lightning, 420
 mushrooms, anatomy: about, 12–13, **13**; caps, **13**, 13–14, **14**; fertile surface, 14–15; fruiting bodies, 14; latex, 15; ring, 18, **18**; stem, 17, 17–18; structure, 4; volva, 19, **19**
 mushrooms, as food, 3, 20, 437; for animals, 6; avoiding, 67; cap meat, 13; chanterelles, 33; collecting and eating, 22–25; disclaimer, 20; First Nations, 152, 420, 471; poisons, 256; raw vs. cooked, 25; taste-test, 16
 mushrooms, as medicine: about, 27, 400–401; artist's conk, 393; birch conk, 399; carbon antlers, 359; chaga, 405; *Cordyceps* species, 361; false morels, 444; flat-topped candy club, 352; hyp pop, 215; market for, 442–43; *Polyozellus* species, 33, 42; turkey tail, 386
Mushrooms, Russia and History (Wasson & Wasson), 235
Mushrooms Demystified (Arora), 27
Mushrooms of the Northwest (Marrone & Parker), 28

- Mushrooms of the Pacific Northwest* (Trudell & Ammirati), 27
- Mushrooms of the Redwood Coast* (Siegel & Schwarz), 27
- Mushrooms of Western Canada* (Schalkwijk-Barendsen), 28, 347
- Mushrooms to Look for in the Kootenays* (McBride & Ehlers), 27
- Mushrooms Up! Edible and Poisonous Species of Coastal BC and the Pacific Northwest* (website), 28
- Mutinus*, 349; *caninus*, 358, 358
- mycena: bleeding, 173, 176, 176; burn site, 458; slippery, 184, 184; toque mycena, 179, 179. See also bonnet
- Mycena*, 44, 173, 187, 191, 255; *acicula*, 175; *aciculata*, 184; *alcalina*, 180; *amicta*, 177, 182, 182; *aurantiomarginata*, 175; *capillaripes*, 180; *citrinomarginata*, 175; *epipterygia*, 140, 173, 178, 178; *filopes*, 181; *galericulata*, 179, 179; *haematopus*, 173, 176, 176; *leptocephala*, 179, 180, 180, 181, 182; *maculata*, 176, 179, 179; *metata*, 181, 181, 182, 283; *monticola*, 174; *overholtsii*, 181; *pura* group, 126, 173, 177, 177, 182, 255; *purpureofusca*, 177, 177; *robusta*, 179; *rorida*, 184; *rosella*, 174; *sanguinolenta*, 176, 176; *strobilinoidea*, 174, 174; *tenax*, 184
- Mycetinis: copelandii*, 194; *salalis*, 194, 194, 204
- mycoheterotrophs, 54, 54–55, 55
- MycosMatch: *Mushrooms of the Pacific Northwest* (mycomatch.com), 10, 28
- mycophobia (fear of mushrooms), 22
- mycoremediation, 207, 209
- mycorrhizae, 7, 74, 74–75, 75; vs. decomposer fungi, 271; and trees, 244, 443
- Myxadium* subgenus, 239, 245, 252
- Myxogastria*, 205
- Naematelia: aurantia*, 413; *encephala*, 413
- Naucoria vinicolor*, 285, 285
- Nectriopsis violacea*, 377, 377
- Neolbatrellus subcaeruleoporus*, 380
- Neolecta vitellina*, 365
- Neolentinus*, 388; *kauffmanii*, 71, 216, 216, 217, 394; *lepeideus*, 216, 217, 217
- netted crust, 376, 409, 410, 410
- The New Savory Wild Mushroom* (McKenny & Stuntz), 28
- Nidula*, 431, 432, 434; *candida*, 431, 432, 432, 433; *niveotomentosa*, 431, 432, 433, 433
- nippled brown pinkgill, 227, 227
- Nolanea*, 221; *holocomiota*, 227, 227; *sericea*, 227; *verna*, 227
- Norvell, Lorelei, 278, 375
- oak: California, 115; Garry, 52, 94, 112, 115, 116, 210
- oak-loving collybia, 192, 197, 197, 198
- Observatory Hill mushrooms, 94–95
- Oligoporus caesius*, 385
- olive shaggy parasol, 98, 99, 99
- olive webcap, 166, 251, 251, 265
- olive-brown waxy cap, 89, 89, 93
- olive-gold loglover, 166, 203, 203, 263
- omphalinas, 125, 141, 142, 144
- One Thousand American Fungi* (McIlvaine), 105
- Onnia tomentosa*, 384, 390
- Ophiocordyceps*, 360; *myrmecophila*, 360; *ravenelii*, 360, 361; *sinensis*, 361; *variabilis*, 360
- orange milk cap, 64, 64
- orange mosscap, 139, 183, 183
- orange peel fungus, 453, 456, 456
- orange tooth, 344, 344
- orange-brown waxy cap, 80, 87, 90, 90
- orange-capped scaberstalk, 332, 332, 333, 334
- orange-dusted cup, 454, 454, 455
- orange-red coral, 375, 375
- orange-yellow bonnet, 175, 175
- Oregon Mycological Society, 24
- Oregon-grapes, 194, 475, 475
- Otidea*, 449, 460; *alutacea* group, 460, 460; *leporina*, 460; *onotica*, 460, 460; *smithii*, 460
- Ötzi (Iceman), 57, 399, 400
- The Outer Spores: Mushrooms of Haida Gwaii* (Kroeger, Kendrick, Ceska & Roberts), 27
- owl eyes, 346, 346, 384
- oyster, 207, 208, 208–9, 209, 210, 211, 212, 218, 219; shoehorn, 210, 219, 219; smelly, 213, 213; veiled, 209, 210, 210, 215, 217, 219; winter, 209, 212, 212
- Pacific banana slug, 223
- Pacific golden chanterelle, 34, 34–35, 35, 36, 37, 40, 129, 298
- paddy straw mushroom, 112
- Paden, John Wilburn, 455
- Panaeolus*, 299, 312; *alcis*, 313; *foenisecii*, 283, 312, 312; *papilionaceus*, 312; *semiovatus*, 313, 315; *subbalteatus* group, 312
- pancake mushroom, 153, 160, 169, 169
- Panellus: longinquus*, 213, 214; *mitis*, 211; *serotinus*, 212; *stipticus*, 214
- panther cap, 106, 108, 108, 109, 111, 120
- paper birch, 334, 339, 405, 457
- Paragymnopus perforans*, 196
- Paralepista flaccida*, 198
- parasites: ascomycete, 33, 39; *Asterophora parasitica*, 59; *Chroogomphus*, 295; *Gomphidius*, 295; jelly fungi, 411; mushrooms as, 7; peppery bolete, 324; *Pleurotus* and similar as, 207; *Psathyrella epimyces*, 290; rot, 394–95; slime moulds as, 205; woolly milk cap, 69
- parasol: American, 122; deadly, 97, 102, 103, 103, 256; flowerpot, 104, 104, 282; olive shaggy, 98, 99, 99; ruby, 122, 122; shaggy, 97, 98, 98, 99, 116, 123; white, 113, 123, 123, 236
- Parasola*, 289
- Parker, Drew, 28
- Parks, Harold Ernest, 469
- parrot waxy cap, 87, 87, 90

- Paxillus*, 271; *atromentosus*, 272; *cuprinus*, 273; *involutus*, 75, 256, 271, 272, 273, **273**
 peach leaf curl, 476
 pear puffball, 422, **422**, 423
 Peck, Charles Horton, 341
 peppery bolete, 317, 320, 324, **324**, 325
Period Piece: A Cambridge Childhood (Raverat), 357
Peziza, 277, 449, 450, 451, 452, 458, 460; *domiciliana*, 450; *repanda*, 450; *varia* group, 450, **450**, 452, 460
Phaeoclavulina: *abietina*, 373; *myceliosa*, 373
Phaeocollybia, 271, 278; *kauffmannii*, 71, 161, 271, 278, **278**
Phaeocollybia of Pacific Northwest North America (Norvell & Exeter), 278
Phaeolepiota, 271, 280; *aurea*, 244, 262, 271, 280, **280**
Phaeolus, 378, 403; *schweinitzii*, 343, 344, 390, **390**, **394**, 395
Phaeotremella foliacea, 418
Phallus, 113, 349, 358; *impudicus*, **356**, 356–57
Phellinus, 404; *igniarius* group, 402, 405
Phellodon, 335; *atratus*, 346; *melaleucus*, 346; *tomentosus*, 346, **346**, 384
Phlebia, 379, 409; *radiata*, 409, **409**; *tremellosa*, 376, 409, **409**, 410
Phloeomana speirea, 184
Phlogiotts helvelloides, 419
 phoenicoid fungi, 458, **458**
 phoenix russula, 51, **51**
 pholiota: bristly, 261, 266, **266**, 267, 268; burnt-ground, 458; golden, **260**, 268, **268**; poplar, 267, **267**; terrestrial, 266, 269, **269**
Pholiota, 228, 261, 458; *adiposa*, 268; *astragalina*, 316; *carbonaria*, 458; *decorata*, 269; *flammans*, 268; *highlandensis*, 458; *limonella* group, **260**, 268, **268**; *malicola* group, 301; *mutabilis*, 270; *populnea*, 267, **267**; *spumosa* group, 300; *squarrosa*, 261, 266, **266**, 267, 268; *squarrosoides*, 266, 268, 269; *terrestris*, 266, 269, **269**
Phragmidium, 474, **474**; *mucronatum*, 474; *violaceum*, 474
Phylloporus, 43; *arenicola*, 274; *rhodoxanthus* group, 167, 271, 274, **274**
Phyllotopsis nidulans, 213, **213**
Picipes, 378, 383; *badius*, 383, **383**
 pig's ear, 41, **41**, 42, 352, 452
 pine: limber, 473; lodgepole, 294, 330, 331, 474; western white, 473; whitebark, 473
 pine mushroom: about, **146**, 146–47, **147**, 154, 442; edibility of, 145; and First Nations, 471; and grey false bolete, 382; identifying, 117, 160, 163, 168; and leopard trich, 159; and mycoheterotrophs, 55, **55**
 pinedrops, 469
 pink bubble gum mushroom, 136, **136**
 pinkgill: blue-edge, 226, **226**; nipples brown, 227, **227**
 pink-tipped coral, 370, 372, **372**
 pipsissewas, 55
Piptoporus betulinus, 399
Pisolithus, 421, 430; *arhizus* group, 343, 421, 430, **430**; *tinctorius*, 430
 pitted milk cap, 68, **68**, 69
Plectania, 449; *melastoma*, 454, **454**, 455; *milleri*, 454; *nannfeldtii*, 454
Pleurocybella porrigens, 191, 208–9, 211, **211**, 214, 256
Pleurotus, 44, 207, 209; *dryinus*, 209, 210, **210**, 215, 217, 219; *ostreatus* group, 207, **208**, 208–9, **209**, 210, 211, 212, 218, 219; *populinus*, 209; *pulmonarius*, 209
 plums and custard, 167, **167**, 264, 274
Pluteus, 221, 222; *atromarginatus*, 222; *cervinus*, 222; *exilis*, 221, 222, **222**
Podaxis pistillarlis, 427, **427**
 poison pax, 75, 256, 271, 272, 273, **273**
 poison pie, 189, 275, **275**, 277
Polyozellus, 33; *atrolazulinus*, 41, 42, **42**; *marymargaretae*, 42; *multiplex*, 42
 polypore: of British Columbia (Ginns), 379
Polyporus: *badius*, 383; *elegans*, 383; *hirtus*, 381; *varius*, 383
 poplar pholiota, 267, **267**
 poplar trich, 151, 152, **152**, 471
Porodaedalea, 378, 404; *pini* group, 388, 404, **404**
 portobellos, 229
Postia, 378; *caesia* group, 385, **385**; *fragilis*, 385; *simulans*, 385
 powdercap: earthy, 100, **100**, 101; sheathed, **96**, 100, 101, **101**
 the prince, 230, **230**, 231
Protothapharia, 299; *alcis*, 313; *semiglobata*, 313, **313**, 315
 prunes and custard, 166, **166**, 203
 psathyrella: ringed, 315, **315**; suburban, 314, **314**
Psathyrella, 289, 299; *ammophila*, 314; *candolleana* group, 314, **314**; *epimyces*, 290; *gracilis* group, 312; *longistriata*, 315, **315**; *piluliformis*, 314
Pseudoarmillariella ectypoides, 141
Pseudoclitocybe cyathiformis, 142, 143
Pseudohydnum, 411, 416; *gelatinosum* group, 335, 416, **416**
Pseudoplectania: *melaena*, 454; *nigrella*, 454
Pseudosarcosoma latahense, 455
Pseudosperma: *rimosum*, 258; *sororium*, 258, **258**
Psilocybe, 283, 286, 299, 306, 308–9, 310, 311, 316, 401; *ceres*, 316; *cubensis*, 306; *cyanescens*, 308, 311, **311**; *montana*, 306; *pelliculosa*, 310; *semilanceata*, 308, 310, **310**, 311, 390; *stuntzii*, 311
 psychedelics, 26–27, 262, 264, 288, 299, 308–9, 442
Pterospira andromedea, 469
Pucciniastrum goeppertianum, 472, **472**
 puffball: gemmed, 406, 422, 423, **423**, 426; lead-coloured, 426, **426**; pear, 422, **422**, 423; sculptured giant, 424, **424**, 425; western giant, 424, 425, **425**

- purple fairy club, 351, **351**, 353
purple jelly-drops, **418**
purple-brown amanita, 120, **120**
purple-staining milk cap, 66, 67, **67**
Pycnoporellus, 403; *alboluteus*, 389; *fulgens*, 389
Pycnoporus, 378, 389; *cinnabarinus*, 389, **389**
Pyrrhulomyces astragalinus, 316
- quinine conk, 396, **396**
- ragged spruce rot mushroom, 71, 216, **216**, 217, 394
The Rainbow Beneath My Feet (Bessette & Bessette), 343
- rainbow chanterelle, 34, 36, **36**
- Ramaria*, 41, 239, 343, 369, 372, 375; *apiculata*, 373; *araiospora*, 375; *botrytis*, 370, 372, **372**; *cystidiophora*, 374; *pinicola*, 371; *rasilispora*, 374, **374**; *stricta*, 373, **373**; *stuntzii*, 375, **375**
- Ramaria araiospora*, 375
Ramaria of the Pacific Northwestern United States (Exeter, Novell & Cázares), 375
- Raverat, Gwen, 357
red alder, 94, 457, 476
red gravel, 468, **468**
red hot milk cap, 64, 65, **65**
red hot russula, 46, 49, 50, **50**
red leaf spot, 474, **474**
red paint fungus, 407, **407**, 471
red ring rot, 404
red-banded webcap, 243, **243**
red-belted conk, 376, 392, 393, 395, 396, 398, **398**, 402, 471
red-brown trich, 145, 151, **151**, 152, 153
red-cracked bolete, 320, **320**, 321, 324, 377
Redhead, Scott, 36, 161
red-pored bolete, 325, **325**
red-staining agaricus, 116, 234, **234**
reproduction, 4–6, 24
resources, 27–28
- Rhizina undulata*, 458
Rhizopogon, 55, 469, 470; *Amylopogon* subgenus, 469; *arctostaphyli*, 469; *occidentalis*, 470; *parksii*, 469, **469**; *salebrosus*, 469; *vinicolor*, 469
- Rhodocollybia*, 185, 199; *badiialba*, 198, 199; *butyracea*, 186, 192, 197, 198, **198**, 221; *maculata*, 199; *oregonensis*, 188, 199, **199**
- Rhodocybe nitellina*, 197, 198
Rhododendron menziesii, 474
rhododendrons, 475
Rhodofomes, 378, 397; *cajanderi*, 397, **397**
Rhodophana nitellina, 197, 198
Rhytisma, 349; *punctatum*, 349, 475, **475**; *salicinum*, 475
- Ribes*, 473
Rickenella, 183; *fibula*, 139, 183, **183**; *swartzii*, 139, 183
ring, 18, **18**
ringed psathyrella, 315, **315**
Roberts, Christine, 27
Rogers, Maggie (Mary Margaret), 42
- Rogers, Robert, 401
roles, ecological, 6–9
Roridomyces roridus, 184, **184**
rose rusts, 474, **474**
rosy conk, 397, **397**
rosy entoloma, 225, **225**
rosy gomphidius, 296, **296**, 297, 327
rot: brown crumbly, 395; brown cubical, 395; brown trunk, 395; jelly, 376, 409, **409**, 410; laminated root, 395; ragged spruce, 71, 216, **216**, 217, 394; red ring, 404
- Rozites*, 244
Rubroboletus, 317; *pulcherrimus*, 325, **325**; *satanas*, 325
Rubus armeniacus, 474; *laciniatus*, 474
ruby parasol, 122, **122**
- russula: biting, 46, 49, **49**; blackening, 58, **58**, 59, 116, 256; comb, 53, **53**; grass green, 57, 57; phoenix, 51, **51**; red hot, 46, 49, 50, **50**; short-stemmed, 39, 45, 52, **52**, **54**; 54–55, 56, 146; shrimp, 45, 46, **46**, 49, 50; thick-skinned, 56, **56**; violet, 47, 47
- Russula*, 39, 43, 44, 45, 239, 339; *adusta*, 58; *aeruginea*, 57; *albonigra*, 58; *americana*, 50; *benwooi*, 46; *bicolor*, 48; *brevipes* group, 39, 45, 52, **52**, **54**; 54–55, 56, 146; *cascadensis*, 52; *cerolens*, 53, **53**; *crassotunicata*, 56, **56**; *decolorans*, 58; *densifolia*, 58; *dissimulans*, 58; *emetica*, 45, 48, **48**, 50; *favrei*, 46; *fragilis*, 51; *fragrantissima* group, 53; *graminea*, 57, 57; *hypofragilis*, 51; *lutea*, 57; *montana*, 48; *mordax*, 46, 49, **49**; *murrillii* group, 47, 47; *nigricans* group, 58, **58**, 59, 116, 256; *olivina*, 57; *phoenicea*, 51, **51**; *queletii* group, 47, 47; *rhodocephala*, 46, 49, 50, **50**; *rosacea*, 50; *sanguinaria*, 50; *sanguinea*, 50; *silvicola*, 48; *sororia*, 53; *stuntzii*, 51, 56, **56**; *subnigricans*, 256; *versicolor*, 51; *veternosa*, 49; *viridofusca*, 46; *xerampelina* group, 45, 46, **46**, 49, 50; *zelleri*, 47
- rust: fir-blueberry, 472, **472**; rose, 474, **474**; Saskatoon-juniper, 473, **473**; western gall, 474; white pine blister, 473, **473**
- saddle-shaped false morel, 444, 445, **445**, 446
Sagara, Naohiko, 277
salal, 194, 475
salal garlic mushroom, 194, **194**, 204
Salix, 161
Sarcodon, 335, 340, 345; *fuscoindicus*, 345; *imbricatus*, 217, 335, 340, **340**; *scabrosus*, 340, 345; *squamosus*, 340
Sarcomyxa serotina, 209, 212, **212**
Sarcoscypha coccinea, 457
Sarcosoma mexicana, 455; *mexicanum*, 455
Sarcosphaera, 449, 451; *coronaria*, 451, **451**; *crassa*, 451
Saskatoon berry, 473
Saskatoon-juniper rust, 473, **473**
scaberstalk: aspen, 332, 333, **333**, 334; birch, 332, 334, **334**; orange-capped, 332, **332**, 333, 334
scarlet bonnet, 174, **174**, 175

- scarlet waxy cap, 81, 82, 83, **83**
 Schäffer, Julius, 273
 Schalkwijk-Barendsen, Helene, 347
Schizophyllum commune group, 220, **220**
 Schwarz, Christian, 27
Scleroderma, 421, 429, 463, 465; *cepa*, 429;
citrinum, 429, **429**, 451, 465
 scrambled egg slime mould, **205**
 sculptured giant puffball, 424, **424**, 425
 scurvy twiglet, 281, 284, **284**
Scutellinia, 449, 457; *scutellata* group, 457, **457**
Scutigera ellisii, 380
Scytinotus longinquus, 213, 214
 seasons, 24
 Seidl, Michelle T., 252
 separating trich, 148, 149, **149**, 157
 Sept, Duane, 27
 shaggy mane, 290, **290**, 292, 427; desert, 427, **427**
 shaggy parasol, 97, 98, **98**, 99, 116, 123
 Shakespeare, 188
 sheathed powdercap, **96**, 100, 101, **101**
 sheathed waxy cap, 89, 93, **93**
 sheathed woodtuff, 165, 202, 270, **270**, 286, 301, 306
 sheep polypore, 380, **380**, 381, 382
 shoehorn oyster, 210, 219, **219**
 short-stemmed russula, 39, 45, 52, **52**, **54**, 54–55,
 56, 146
 short-stemmed slippery jack, 330, **330**
 shrimp russula, 45, 46, **46**, 49, 50
 the sickener, 45, 48, **48**, 50
 Siegel, Noah, 27
 silvery violet webcap, 240, **240**, 241, 255
 Singer, Rolf, 78
Sir Nigel (Doyle), 60
 Sitka spruce, 35, 38, 73, 204, 216, 294, 380, 398
 slime moulds, 205, **205**, 355, 364, 377
 slimy brown webcap, 252, **252**
 slimy milk cap, 70, 71, 72, **72**, 143
 slippery jack, **331**, **331**
 slippery mycena, 184, **184**
 small staghorn, 354, 415, **415**
 smelly oyster, 213, **213**
 smelly trich, 150, 162, **162**
 Smith, Alexander H., 37, 67, 71, 425
 Smith's amanita, 117, **117**, 118, 123, 146, 163, 256
 snowbank orange peel, 453, **453**, 456
 snowmelt clitocybe, 131, **131**
 snowy crep, 214
 Snyder, Leon Carleton, 439
 Snyder's morel, 439, **439**
 soapy trich, 155, **155**, 159
*Some Mushrooms and Other Fungi of British
 Columbia* (Hardy), 257
 sooty brown waxy cap, 92, **92**
 South Vancouver Island Mycological Society
 (SVIMS), 114
Sowerbyella rhenana, 456
Sparassis, 369, 370; *crispa*, 370; *radicata*, 370,
 370, 442
- Spathularia*, 349, 365; *flavida*, 363, 365, **365**
 species, cryptic, 12, 177, 220, 229, 243, 251, 336,
 350, 404
 species, descriptions, 10–20
 speckled alder, 476
 speckled tar spot, 349, 475, **475**
Spinellus fusiger mould, 173, 476
 spirit gummy bear, 335, 416, **416**
 split gill, 220, **220**
 spore print, 16–17, 17
 spot: hexagonal, 475, **475**; red leaf, 474, **474**;
 speckled tar, 349, 475, **475**; willow tar, 475
 spring agrocybe, 244, 271, 279, **279**
 spring king, 24, 318
 spring western white truffle, 464
 spruce waxy cap, 84, 85, **85**, 86, 121
 St. George's mushroom, **420**
 Stamets, Paul, 264
 starving man's licorice, 454, 455, **455**
 stems, 17, 17–18
Stereum, 339, 413; *hirsutum*, 377, 386, 387, **387**;
sanguinolentum, 387, **387**, 418
 the stinker, 148, 150, **150**, 162
 stinkhorn: common, **356**, 356–57; dog, 358, **358**
 stinking earth fan, 408
 strap club, 351, 353, **353**
 strawberries and cream, 341, **341**, 343, 344, 384
 streaked trich, 145, 149, 157, **157**, 158, 159, 224
Strobilurus: albipilatus, 204; *occidentalis*, 204;
trullisatus, 204, **204**
 stropharia: ambigua, 302, **302**, 303; blue-green,
 304, **304**; wine cap, 299, 303, 305, **305**
Stropharia, 299, 304; *aeruginosa*, 304, **304**;
ambigua, 302, **302**, 303; *aurantiaca*, 316;
hornemannii, 302, 303, **303**, 305; *rugosannulata*,
 299, 303, 305, **305**; *semiglobata*, 313
 Stuntz, Daniel E., 28, 375
 subalpine larch, 328
 suburban psathyrella, 314, **314**
Suillus, 277, 295, 296, 297, 317, 326, 327, 328,
 330, 469, 470; *ampliporus*, 327, 328, **328**;
brevipes, 330, **330**; *caerulescens*, 326,
326, 327, 329; *cavipes*, 328; *clintonianus*,
 331; *flavidus*, 331; *granulatus*, 330;
grevillei, 331; *lakei*, 326, 327, **327**, 328,
 329; *luteus*, 331, **331**; *ochraceoroseus*, 328;
punctatipes, 330; *tomentosus*, 327, 329,
329; *umbonatus*, 331; *weaverae*, 330
 sulphur tuft, 265, **288**, 300, **300**, 301
 sunny side up, 104, 281, 282, **282**
 sunshine amanita, 106, 109, 110, **110**, 111
 surface, fertile, 14–15
 sushi mushroom, 187, 190, **190**, 221
 swamp beacon, 363, **363**, 364, 365
 sweat-producing clitocybe, 85, 134, 135, **135**, 186,
 189, 223
 sweetbread mushroom, 221, 223, **223**
 Swift, Jonathan, 213
Systema Naturae (Linnaeus), 436

- Tàipíng Guǎngjì*, 277
 tamarack, 328
 tamarack jack, 327, 328, **328**
Taphrina: deformans, 476; *occidentalis*, 476, **476**;
populina, 476
 taphrina leaf blister, 476
Tapinella, 271; *atromentosa*, 271, 272, **272**, 273;
panuoides, 212, 213, 272
 taxonomy, fungal, 11
Telamonia subgenus, 239, 243, 250
The Tempest (Shakespeare), 188
 terminology, mycological, 3; basidiomycetes vs.
 ascomycetes, 6; "group," 12; mushroom, as
 term, 4. *See also* glossary
 terrestrial pholiota, 266, 269, **269**
Tetrapyrgos subdendrophora, 191
Thelephora, 33, 55, 408; *palmata*, 408; *terrestris*
 group, 33, 379, 384, **408**, **408**
 thick cup, 41, 452, **452**
 thick-skinned russula, 56, **56**
 thimble cap, 441, **441**
 tiger's eye, 346, 384, **384**
 tinder conk, 396, 400, 402, **402**, 471
 toadskin milk cap, 73, 73
Tolypocladium, 349, 360, 362; *capitatum*, 360, 361,
 362, **362**, 465; *ophioglossoides*, 360, 362
 tooth: conifer-cone, 335, 347, **347**; jelly, 416; orange,
 344, **344**; violet, 345, **345**
 toque mycena, 179, **179**
 train wrecker, 216, 217, **217**
Trametes, 378, 389; *betulina*, 388; *cinnabarina*,
 389; *hirsuta*, 386; *versicolor*, **379**, 386, **386**, 387,
 401, 413
 Trappe, James, 463
 Trappe, Matt, 463
 trembling aspen, 75, 152, 209, 215, 332, 333, 334,
 398, 476
Tremella, 411, 412, 413, 418; *aurantia*, 413;
encephala, 413; *foliacea*, 418; *mesenterica*, 412,
 413, **413**
Tremelodendropsis tuberosa, 371
Tremiscus helvelloides, 419
 trich: ashens, 156, 157, 158, **158**, 159; celery-scented,
 160, **160**, 161, 169; leopard, 146, 155, 156, 157, 158,
 159, **159**, 168; mouse, 156, **156**, 158, 159; poplar,
 151, 152, **152**, 471; red-brown, 145, 151, **151**, 152,
 153; separating, 148, 149, **149**, 157; smelly, 150,
 162, **162**; soapy, 155, **155**, 159; streaked, 145, 149,
 157, **157**, 158, 159, 224; veiled orange, 146, 154, **154**
Trichaptum: abietinum, 386; *biforme*, 386
Trichoglossum hirsutum, **348**, 367
Tricholoma, 44, 145, 189; *apium*, 160, **160**, 161, 169;
atroviolaceum, 159; *caligatum*, 146; *davisiae*,
 149; *dulciolens*, 146; *equestre* group, 113, 145,
 148, **148**, 149, 150, 166; *flavovirens*, 148; *focale*
 group, 146, 154, **154**; *imbricatum*, 151, 153, 169;
inamoenum, 150, 162, **162**; *intermedium*, 148,
 149; *magnivelare*, 147; *murrillianum*, 55, **55**,
 117, 145, **146**, 146–47, **147**, 154, 159, 160, 163,
 168, 382, 442, 471; *pardinum*, 146, 155, 156,
 157, 158, 159, **159**, 168; *pessundatum* group,
 145, 151, **151**, 152, 153; *populinum*, 151, 152, **152**,
 471; *portentosum*, 145, 149, 157, **157**, 158, 159,
 224; *robustum*, 154; *saponaceum* group, 155,
155, 159; *sejunctum* group, 148, 149, **149**, 157;
sulphurescens, 162; *sulphurinum* group, 148,
 150, **150**, 162; *terreum* group, 156, **156**, 158, 159;
vaccinum, 151, 153, **153**, 169; *virgatum*, 156, 157,
 158, **158**, 159; *zelleri*, 154
Tricholomas of North America (Bessette et al.), 145
Tricholomopsis, 145, 167; *decora*, 166, **166**, 203;
rutilans, 166, 167, **167**, 264, 274
 Trudell, Steve, 27, 147
 truffle: common deer, 360, 362, 465, **465**; fall
 western white, 464, **464**, 466, 468; western
 black, 464, **467**
 truffle eater, 360, 361, 362, **362**, 465
Truncolumella, 470; *citrina*, 470, **470**
Tubaria, 281; *furfuracea* group, 281, 284, **284**;
hiemalis, 284; *punicca*, 285, **285**
Tuber, 463, 466; *aestivum*, 466; *borchii*, 466;
gibbosum, 464; *melanosporum*, 466; *oregonense*,
 464, **464**, 466, 468; *rapaeodorum*, 467
 tuberous collybia, 185, 195, **195**, 201
 tufted collybia, 192, **192**, 193, 197, 198, 200
Tulostoma, 427
Turbinellus, 33, 40, 41, 369; *floccosus*, **32**, 34, 40,
40, 41; *kauffmanii*, **40**, **40**, 41
 turkey tail, **379**, 386, **386**, 387, 401, 413
 two-coloured laccaria, 126, 127, **127**, 128
Tyromyces: caesius, 385; *chioneus*, 385
 upright coral, 373, **373**
Urnula, 449; *padeniana*, 454, 455, **455**
 Vancouver Mycological Society (VMS), 114, 115
 veiled orange trich, 146, 154, **154**
 veiled oyster mushroom, 209, 210, **210**, 215, 217, 219
 veiled polypore, 406, **406**
 velvet foot, 25, 190, 202, **202**
 velvet pinwheel, 187, **187**, 190
 velvet rollrim, 271, 272, **272**, 273
 velvety earth tongue, **348**, 367
 velvety milk cap, 70, **70**
 vermilion waxy cap, **76**, 82, **82**, 83
Verpa, 436, 437; *bohemica*, 441, **441**; *conica* group,
 441, **441**
Vibrissea, 349; *truncorum*, 363, 364, **364**
 violet russula, 47, **47**
 violet tooth, 345, **345**
 violet webcap, 239, 242, **242**
 vocabulary. *See* terminology, mycological
 Wallis, Gordon, 395
 Wasson, R. Gordon, 235, 308
 Wasson, Valentina Pavlovna, 235
 water club, 363, 364, **364**
 wavy cap, 308, 311, **311**

- waxy cap: acute conic, 78, 79, **79**, 80; blushing, 91, **91**; brown almond, 88, **88**, 199; cedar, 85; golden-fringed, 84, 86, **86**; larch, 81, **81**, 83; olive-brown, 89, **89**, 93; orange-brown, 80, 87, 90, **90**; parrot, 87, **87**, 90; scarlet, 81, 82, 83, **83**; sheathed, 89, 93, **93**; sooty brown, 92, **92**; spruce, 84, 85, **85**, 86, 121; vermilion, 76, 82, **82**, 83
- webcap: bitter brown, 245, **245**; blood-red, **246**, 246–47; bluefoot, 189, 249, **249**; fruity lilac, 240, 241, **241**; goldband, 248, **248**; olive, 166, 251, **251**, 265; red-banded, 243, **243**; silvery violet, 240, **240**, 241, 255; slimy brown, 252, **252**; violet, 239, 242, **242**; woolly, 250, **250**
- western black truffle, 464, **464**
- western cauliflower mushroom, 370, **370**, 442
- western gall rust, 474
- western giant puffball, 424, 425, **425**
- western hemlock, 35, 37, 38, 74, 338, 375, 380
- western jelly ear, 411, 416, 417, **417**
- western larch, 328, 396
- western lilac fibrehead, 177, 240, 254, 255, **255**
- western mountain polypore, 381, 391, **391**
- western redcedar, 94, 294
- western varnished conk, 379, 392, **392**, 393, 401
- western white pine, 473
- western woodland amanita, 118, **118**
- western yellow-veil amanita, 111, **111**
- white barrel bird's nest, 431, 432, 433, **433**
- white caesar, 112
- white chanterelle, 37, 37
- white fibrehead, 254, **254**, 255
- white icicle, 355, **355**
- white marasmius, 191, **191**
- white parasol, 113, 123, **123**, 236
- white pine blister rust, 473, **473**
- whitebark pine, 473
- white-egg bird's nest, 432, 433, 434, **434**
- willow tar spot, 475
- wine cap stropharia, 299, 303, 305, **305**
- winter chanterelle, 38, **38**, 141, 337
- winter oyster, 209, 212, **212**
- wintergreens, 55, 459
- witch's butter, 412, **412**, 413, 414; hardwood, 412, 413, **413**
- witch's hat, 78, **78**, 79
- wood ear mushrooms, 417, **417**
- wood woollyfoot, 192, 193, **193**
- woodland agaricus, 231, 232, 233, **233**
- woolly chanterelle, 32, 34, 40, **40**, 41
- woolly inky cap, 289, 291, **291**
- woolly jack, 327, 329, **329**
- woolly milk cap, 39, 66, 68, 69, **69**
- woolly pine spike, 34–35, 298, **298**
- woolly webcap, 250, **250**
- Xerocomellus*, 317; *atropurpureus*, 321; *chrysenteron*, 320; *diffRACTUS*, 320, **320**, 321, 324, 377; *zelleri*, 320, 321, **321**, 322
- Xeromphalina*, 144; *campanella* group, 141, 144, **144**; *cauticinalis*, 144; *cornui*, 144; *fulvipes*, 144, **144**
- Xylaria*, 349; *hypoxylon*, 359, **359**
- yellow fairy cups, 414, 418, 462, **462**
- yellow mountain coral, 374, **374**
- yellow mountain pea, 476, **476**
- yellow waxy cap, 79, 80, **80**
- yellowfoot (chanterelle), 38
- yellowfoot dapperling, 102, **102**
- yellow-gilled gym, 167, 264, **264**
- yellowleg bonnet, 140, 173, 178, **178**
- Zeller, Myron, 321
- Zeller's bolete, 320, 321, **321**, 322
- Zhu-Liang Yang, 121
- Zhuliangomyces*, 121; *illinitus*, 84, 121, **121**
- zombie ants, 360–61, **361**